

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
1	11012300008257	3744	13.43	16	7.63	16	3.50	9	10	20	0	61	PASS
2	11012300007874	3745	15.44	10	5.40	8	3.39	6	10	20	0	44	FAIL
3	11012300008112	3746	14.60	10	6.50	12	3.91	9	8	12	0	43	FAIL
4	11012300008042	3747	16.19	6	7.34	16	4.25	14	7	8	0	44	FAIL
5	11012300008784	3748	0.00	0	7.93	18	4.55	16	10	20	0	54	PASS
6	11012300007859	3749	14.21	14	7.19	14	4.16	12	10	20	14	74	PASS
7	11012300007814	3750	13.46	16	7.99	18	4.31	14	10	20	14	82	PASS
8	11012300007870	3751	13.24	16	8.10	18	4.80	18	10	20	6	78	PASS
9	11012300007937	3752	15.38	10	6.30	12	3.72	9	10	20	0	51	PASS
10	11012300008726	3753	13.31	16	7.45	16	4.60	16	10	20	12	80	PASS
11	11012300008307	3754	13.44	16	6.54	12	4.25	14	10	20	12	74	PASS
12	11012300008049	3755	13.81	14	6.46	12	4.15	12	10	20	0	58	PASS
13	11012300008036	3756	14.07	14	8.37	18	4.12	12	10	20	0	64	PASS
14	11012300008209	3757	15.72	6	5.87	10	2.95	3	10	20	0	39	FAIL
15	11012300008556	3758	13.47	16	7.92	18	4.75	18	9	16	12	80	PASS
16	11012300008471	3759	15.19	10	7.40	16	4.75	18	9	16	6	66	PASS
17	11012300008593	3760	15.00	10	5.65	10	3.75	9	10	20	10	59	PASS
18	11012300008514	3761	14.00	14	6.40	12	4.30	14	10	20	10	70	PASS
19	11012300008580	3762	13.28	16	7.60	16	4.34	14	10	20	16	82	PASS
20	11012300008383	3763	13.50	16	7.83	16	4.44	14	9	16	10	72	PASS
21	11012300008182	3764	15.21	10	5.80	10	3.59	9	10	20	0	49	FAIL

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
22	11012300007783	3765	14.94	10	7.16	14	4.11	12	10	20	0	56	PASS
23	11012300007858	3766	13.48	16	8.02	18	4.68	16	8	12	10	72	PASS
24	11012300007853	3767	15.34	10	5.28	8	3.44	6	2	0	0	24	FAIL
25	11012300008306	3768	14.18	14	7.94	18	4.36	14	3	0	0	46	FAIL
26	11012300008089	3769	15.59	6	6.03	10	4.02	12	10	20	0	48	FAIL
27	11012300007868	3770	13.46	16	6.92	14	4.29	14	10	20	16	80	PASS
28	11012300008454	3771	13.04	16	8.11	18	4.96	18	10	20	14	86	PASS
29	11012300008099	3772	13.34	16	7.46	16	4.94	18	10	20	18	88	PASS
30	11012300007950	3773	14.46	14	7.70	16	3.92	9	10	20	0	59	PASS
31	11012300008840	3774	14.99	10	6.67	12	3.69	9	8	12	0	43	FAIL
32	11012300007787	3775	15.84	6	6.80	14	2.93	3	10	20	0	43	FAIL
33	11012300008510	3776	14.31	14	6.36	12	4.11	12	10	20	14	72	PASS
34	11012300008133	3777	19.34	0	6.27	12	2.34	0	2	0	0	12	FAIL
35	11012300007820	3778	14.78	10	6.55	12	3.34	6	10	20	10	58	PASS
36	11012300008311	3779	14.00	14	5.95	10	4.05	12	8	12	0	48	FAIL
37	11012300007798	3780	14.75	10	7.30	16	4.10	12	10	20	0	58	PASS
38	11012300008555	3781	16.94	2	5.40	8	3.40	6	9	16	0	32	FAIL
39	11012300008625	3782	15.00	10	7.21	14	3.90	9	10	20	2	55	PASS
40	11012300008619	3783	13.63	14	8.59	20	4.35	14	8	12	2	62	PASS
41	11012300008093	3784	15.69	6	5.80	10	3.47	6	8	12	0	34	FAIL
42	11012300008227	3785	15.41	10	5.10	8	3.25	6	9	16	2	42	FAIL
43	11012300008678	3786	13.50	16	7.01	14	2.87	3	10	20	0	53	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
44	11012300008414	3787	14.28	14	7.31	16	4.48	14	10	20	10	74	PASS
45	11012300008344	3788	14.59	10	8.65	20	4.30	14	10	20	6	70	PASS
46	11012300008845	3789	15.12	10	7.84	16	3.85	9	10	20	0	55	PASS
47	11012300007915	3790	14.94	10	6.85	14	4.25	14	4	0	0	38	FAIL
48	11012300007833	3791	12.88	16	6.64	12	4.35	14	10	20	14	76	PASS
49	11012300007843	3792	13.69	14	5.93	10	3.71	9	10	20	16	69	PASS
50	11012300007835	3793	12.81	16	7.70	16	4.38	14	10	20	12	78	PASS
51	11012300007841	3794	13.17	16	7.96	18	4.76	18	10	20	16	88	PASS
52	11012300008663	3795	14.28	14	7.21	14	3.92	9	10	20	0	57	PASS
53	11012300008522	3796	16.59	2	5.50	10	2.39	0	10	20	0	32	FAIL
54	11012300008188	3797	14.22	14	6.23	12	0.00	0	10	20	12	58	PASS
55	11012300007850	3798	13.12	16	6.29	12	3.05	6	10	20	0	54	PASS
56	11012300008184	3799	13.59	14	7.35	16	4.42	14	10	20	0	64	PASS
57	11012300008020	3800	14.00	14	7.32	16	4.10	12	9	16	6	64	PASS
58	11012300007932	3801	14.34	14	6.18	12	4.75	18	10	20	0	64	PASS
59	11012300008640	3802	11.80	18	8.97	20	5.01	20	10	20	16	94	PASS
60	11012300008633	3803	12.50	18	8.15	18	4.90	18	10	20	12	86	PASS
61	11012300008641	3804	12.47	18	8.05	18	5.30	20	10	20	16	92	PASS
62	11012300008642	3805	13.45	16	7.63	16	4.80	18	9	16	14	80	PASS
63	11012300008635	3806	11.47	20	8.82	20	5.47	20	10	20	18	98	PASS
64	11012300008631	3807	13.31	16	7.40	16	4.76	18	10	20	18	88	PASS
65	11012300007973	3808	15.35	10	7.03	14	0.00	0	9	16	0	40	FAIL

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
66	11012300008630	3809	14.06	14	6.85	14	4.50	16	10	20	10	74	PASS
67	11012300008636	3810	15.85	6	5.67	10	3.00	6	9	16	2	40	FAIL
68	11012300007829	3811	14.00	14	6.40	12	4.26	14	6	4	12	56	PASS
69	11012300008319	3812	14.06	14	7.65	16	4.60	16	10	20	10	76	PASS
70	11012300008170	3813	12.75	16	8.19	18	5.03	20	10	20	0	74	PASS
71	11012300008206	3814	13.05	16	7.35	16	4.62	16	10	20	12	80	PASS
72	11012300008180	3815	13.09	16	8.64	20	4.20	12	4	0	14	62	PASS
73	11012300008274	3816	13.50	16	7.01	14	4.35	14	10	20	12	76	PASS
74	11012300008809	3817	16.46	6	6.63	12	3.92	9	3	0	0	27	FAIL
75	11012300008408	3818	13.88	14	5.90	10	4.65	16	10	20	14	74	PASS
76	11012300007965	3819	13.34	16	8.30	18	5.03	20	10	20	14	88	PASS
77	11012300008352	3820	15.50	10	6.17	12	3.50	9	5	2	0	33	FAIL
78	11012300008025	3821	15.78	6	6.57	12	3.81	9	6	4	0	31	FAIL
79	11012300008019	3822	0.00	0	7.70	16	4.00	12	10	20	6	54	PASS
80	11012300008017	3823	13.50	16	8.23	18	4.10	12	8	12	0	58	PASS
81	11012300008377	3824	14.16	14	6.72	14	4.14	12	10	20	0	60	PASS
82	11012300008331	3825	15.28	10	5.84	10	3.81	9	10	20	12	61	PASS
83	11012300008333	3826	14.50	14	7.48	16	4.20	12	10	20	0	62	PASS
84	11012300008102	3827	14.69	10	5.82	10	4.22	12	10	20	6	58	PASS
85	11012300008747	3828	15.43	10	7.01	14	2.90	3	3	0	0	27	FAIL
86	11012300007827	3829	0.00	0	8.04	18	4.23	12	8	12	0	42	FAIL
87	11012300008061	3830	14.34	14	6.20	12	4.08	12	10	20	0	58	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
88	11012300008098	3831	13.66	14	6.60	12	4.20	12	10	20	14	72	PASS
89	11012300008095	3832	14.22	14	9.87	20	3.68	9	9	16	0	59	PASS
90	11012300008094	3833	14.39	14	0.00	0	4.22	12	10	20	0	46	FAIL
91	11012300008218	3834	13.48	16	7.90	18	4.22	12	10	20	12	78	PASS
92	11012300008215	3835	12.47	18	8.56	20	4.80	18	10	20	16	92	PASS
93	11012300008216	3836	12.50	18	6.95	14	4.65	16	10	20	10	78	PASS
94	11012300008600	3837	13.09	16	7.55	16	4.60	16	10	20	12	80	PASS
95	11012300008599	3838	13.78	14	8.44	18	4.72	16	10	20	12	80	PASS
96	11012300008238	3839	14.78	10	6.40	12	3.53	9	10	20	10	61	PASS
97	11012300008264	3840	15.65	6	7.04	14	2.76	3	10	20	0	43	FAIL
98	11012300007864	3841	12.63	16	6.28	12	4.50	16	10	20	14	78	PASS
99	11012300008245	3842	15.62	6	7.16	14	3.70	9	10	20	10	59	PASS
100	11012300008256	3843	15.20	10	7.42	16	3.85	9	10	20	0	55	PASS
101	11012300008367	3844	15.31	10	6.10	12	3.65	9	10	20	6	57	PASS
102	11012300007893	3845	14.88	10	6.61	12	3.35	6	10	20	0	48	FAIL
103	11012300008396	3846	14.03	14	6.96	14	3.92	9	10	20	12	69	PASS
104	11012300008345	3847	13.63	14	8.54	20	4.15	12	10	20	2	68	PASS
105	11012300008294	3848	13.00	16	6.63	12	5.15	20	10	20	12	80	PASS
106	11012300008729	3849	14.90	10	6.28	12	4.09	12	10	20	0	54	PASS
107	11012300008763	3850	14.13	14	7.03	14	4.10	12	10	20	10	70	PASS
108	11012300008601	3851	15.03	10	7.90	18	4.09	12	10	20	2	62	PASS
109	11012300008178	3852	13.91	14	6.44	12	3.83	9	10	20	0	55	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
110	11012300008655	3853	13.89	14	5.73	10	3.47	6	6	4	12	46	FAIL
111	11012300008658	3854	13.06	16	8.55	20	4.63	16	10	20	12	84	PASS
112	11012300008661	3855	12.87	16	9.12	20	4.57	16	10	20	0	72	PASS
113	11012300008665	3856	13.87	14	8.37	18	4.17	12	10	20	14	78	PASS
114	11012300008022	3857	12.28	18	8.46	18	5.47	20	10	20	14	90	PASS
115	11012300008338	3858	14.60	10	7.50	16	4.39	14	10	20	10	70	PASS
116	11012300008629	3859	13.72	14	6.40	12	3.72	9	10	20	6	61	PASS
117	11012300007790	3860	14.72	10	7.31	16	4.05	12	10	20	0	58	PASS
118	11012300007793	3861	16.94	2	6.15	12	3.21	6	5	2	0	22	FAIL
119	11012300008669	3862	14.50	14	5.53	10	3.62	9	10	20	16	69	PASS
120	11012300007999	3863	16.12	6	5.38	8	3.95	9	10	20	10	53	PASS
121	11012300008701	3864	14.75	10	7.21	14	4.16	12	10	20	0	56	PASS
122	11012300008223	3865	13.62	14	6.70	14	4.42	14	10	20	14	76	PASS
123	11012300008581	3866	14.50	14	6.52	12	4.25	14	6	4	12	56	PASS
124	11012300008483	3867	12.50	18	7.31	16	4.70	16	10	20	12	82	PASS
125	11012300008290	3868	13.45	16	8.10	18	4.82	18	10	20	12	84	PASS
126	11012300007966	3869	14.31	14	7.63	16	3.90	9	10	20	10	69	PASS
127	11012300008001	3870	15.97	6	6.74	14	3.35	6	7	8	0	34	FAIL
128	11012300008612	3871	14.16	14	6.40	12	4.20	12	10	20	10	68	PASS
129	11012300008506	3872	12.35	18	7.98	18	5.20	20	10	20	16	92	PASS
130	11012300008565	3873	14.47	14	7.45	16	3.85	9	7	8	0	47	FAIL
131	11012300008507	3874	13.48	16	8.54	20	0.00	0	1	0	0	36	FAIL

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
132	11012300008505	3875	14.63	10	7.71	16	4.20	12	10	20	0	58	PASS
133	11012300007888	3876	13.00	16	8.03	18	4.25	14	10	20	14	82	PASS
134	11012300007885	3877	12.85	16	7.41	16	4.45	14	10	20	0	66	PASS
135	11012300007886	3878	12.75	16	8.75	20	4.67	16	10	20	14	86	PASS
136	11012300007887	3879	12.22	18	8.06	18	5.03	20	10	20	12	88	PASS
137	11012300007884	3880	12.91	16	8.98	20	5.23	20	10	20	16	92	PASS
138	11012300008359	3881	14.03	14	8.01	18	4.10	12	10	20	0	64	PASS
139	11012300008185	3882	15.00	10	6.93	14	3.91	9	9	16	0	49	FAIL
140	11012300008743	3883	14.19	14	6.80	14	4.08	12	10	20	14	74	PASS
141	11012300008695	3884	15.62	6	6.31	12	3.50	9	2	0	0	27	FAIL
142	11012300008777	3885	15.16	10	7.06	14	3.30	6	7	8	0	38	FAIL
143	11012300008753	3886	14.47	14	7.08	14	4.25	14	10	20	0	62	PASS
144	11012300008303	3887	12.97	16	6.13	12	4.56	16	10	20	16	80	PASS
145	11012300008302	3888	14.28	14	6.22	12	4.45	14	10	20	0	60	PASS
146	11012300008461	3889	14.85	10	6.39	12	3.50	9	10	20	6	57	PASS
147	11012300008190	3890	15.75	6	5.60	10	3.65	9	6	4	0	29	FAIL
148	11012300007895	3891	14.28	14	6.14	12	4.15	12	6	4	0	42	FAIL
149	11012300008211	3892	15.18	10	6.83	14	3.82	9	8	12	0	45	FAIL
150	11012300008813	3893	15.37	10	5.42	8	3.30	6	8	12	12	48	FAIL
151	11012300008649	3894	15.32	10	6.01	10	3.57	9	10	20	0	49	FAIL
152	11012300007990	3895	21.34	0	5.84	10	2.25	0	2	0	0	10	FAIL
153	11012300008047	3896	13.31	16	6.13	12	4.00	12	10	20	16	76	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
154	11012300008582	3897	15.44	10	4.94	8	3.81	9	10	20	0	47	FAIL
155	11012300008003	3898	14.06	14	7.91	18	4.25	14	10	20	2	68	PASS
156	11012300007978	3899	13.97	14	7.63	16	4.62	16	10	20	12	78	PASS
157	11012300007983	3900	13.11	16	7.10	14	5.01	20	10	20	10	80	PASS
158	11012300007805	3901	13.96	14	7.80	16	4.02	12	10	20	12	74	PASS
159	11012300007804	3902	13.25	16	8.40	18	4.86	18	10	20	12	84	PASS
160	11012300007782	3903	13.32	16	8.80	20	4.75	18	10	20	14	88	PASS
161	11012300008231	3904	16.09	6	0.00	0	3.74	9	9	16	0	31	FAIL
162	11012300007869	3905	17.25	2	5.65	10	2.39	0	2	0	0	12	FAIL
163	11012300007821	3906	15.81	6	7.01	14	3.30	6	6	4	0	30	FAIL
164	11012300007982	3907	15.34	10	4.82	6	3.56	9	10	20	0	45	FAIL
165	11012300008740	3908	13.48	16	6.35	12	4.58	16	10	20	6	70	PASS
166	11012300008610	3909	13.94	14	7.72	16	4.75	18	10	20	14	82	PASS
167	11012300008236	3910	14.25	14	6.90	14	4.79	18	10	20	10	76	PASS
168	11012300008425	3911	14.46	14	6.92	14	3.82	9	10	20	0	57	PASS
169	11012300008460	3912	13.97	14	7.95	18	4.35	14	10	20	14	80	PASS
170	11012300008092	3913	13.68	14	8.54	20	0.00	0	10	20	0	54	PASS
171	11012300007956	3914	14.41	14	6.44	12	4.46	14	10	20	6	66	PASS
172	11012300007952	3915	14.84	10	8.86	20	4.10	12	10	20	6	68	PASS
173	11012300008023	3916	15.22	10	6.26	12	4.17	12	9	16	0	50	PASS
174	11012300008334	3917	13.65	14	6.71	14	5.03	20	10	20	10	78	PASS
175	11012300008343	3918	14.00	14	8.20	18	4.74	16	10	20	0	68	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
176	11012300008085	3919	13.19	16	6.81	14	4.90	18	10	20	12	80	PASS
177	11012300008121	3920	13.88	14	6.80	14	4.65	16	10	20	12	76	PASS
178	11012300008349	3921	14.50	14	6.96	14	3.58	9	10	20	0	57	PASS
179	11012300008594	3922	14.78	10	6.39	12	4.20	12	7	8	0	42	FAIL
180	11012300008719	3923	14.34	14	7.65	16	3.73	9	10	20	6	65	PASS
181	11012300008312	3924	13.19	16	8.90	20	4.88	18	10	20	14	88	PASS
182	11012300008299	3925	12.41	18	8.36	18	4.32	14	10	20	14	84	PASS
183	11012300008393	3926	13.47	16	8.18	18	4.33	14	10	20	14	82	PASS
184	11012300008415	3927	13.25	16	7.60	16	4.51	16	10	20	10	78	PASS
185	11012300008080	3928	13.75	14	7.03	14	4.43	14	10	20	12	74	PASS
186	11012300008181	3929	13.50	16	7.91	18	4.69	16	10	20	12	82	PASS
187	11012300008041	3930	13.34	16	8.96	20	4.49	14	10	20	18	88	PASS
188	11012300008060	3931	14.44	14	5.74	10	3.54	9	0	0	0	33	FAIL
189	11012300007975	3932	16.10	6	5.34	8	3.50	9	7	8	0	31	FAIL
190	11012300008413	3933	0.00	0	7.41	16	3.65	9	10	20	0	45	FAIL
191	11012300008841	3934	14.11	14	7.60	16	4.17	12	10	20	0	62	PASS
192	11012300008002	3935	14.56	10	6.76	14	3.90	9	10	20	0	53	PASS
193	11012300008111	3936	14.09	14	7.19	14	4.06	12	8	12	0	52	PASS
194	11012300008530	3937	12.90	16	7.42	16	4.83	18	9	16	12	78	PASS
195	11012300008531	3938	14.19	14	7.80	16	4.78	18	10	20	12	80	PASS
196	11012300007800	3939	13.31	16	7.50	16	4.55	16	10	20	12	80	PASS
197	11012300007993	3940	15.19	10	7.17	14	3.70	9	7	8	2	43	FAIL

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
198	11012300008802	3941	13.56	14	7.20	14	4.58	16	10	20	14	78	PASS
199	11012300007836	3942	15.28	10	6.10	12	3.07	6	3	0	0	28	FAIL
200	11012300008355	3943	15.98	6	6.16	12	3.73	9	2	0	0	27	FAIL
201	11012300008011	3944	14.60	10	7.40	16	4.30	14	10	20	10	70	PASS
202	11012300008010	3945	13.66	14	7.62	16	4.56	16	10	20	10	76	PASS
203	11012300008732	3946	16.44	6	5.12	8	3.07	6	5	2	0	22	FAIL
204	11012300007813	3947	13.72	14	8.15	18	4.23	12	10	20	6	70	PASS
205	11012300007871	3948	13.87	14	6.72	14	4.15	12	10	20	12	72	PASS
206	11012300007922	3949	17.25	2	4.62	6	3.21	6	0	0	0	14	FAIL
207	11012300008172	3950	13.09	16	8.62	20	4.36	14	10	20	10	80	PASS
208	11012300008405	3951	14.63	10	5.64	10	3.70	9	10	20	0	49	FAIL
209	11012300007925	3952	14.53	10	6.87	14	4.35	14	10	20	14	72	PASS
210	11012300007797	3953	14.04	14	6.40	12	4.07	12	10	20	10	68	PASS
211	11012300007852	3954	12.25	18	8.15	18	4.80	18	10	20	16	90	PASS
212	11012300008040	3955	15.16	10	5.10	8	3.40	6	8	12	12	48	FAIL
213	11012300008201	3956	14.22	14	7.72	16	3.75	9	9	16	0	55	PASS
214	11012300007878	3957	16.42	6	6.22	12	3.22	6	2	0	0	24	FAIL
215	11012300007881	3958	15.78	6	6.61	12	4.04	12	10	20	6	56	PASS
216	11012300008179	3959	15.16	10	7.12	14	3.31	6	3	0	0	30	FAIL
217	11012300008086	3960	13.81	14	7.65	16	4.17	12	10	20	12	74	PASS
218	11012300008846	3961	14.75	10	6.07	10	3.84	9	10	20	6	55	PASS
219	11012300008697	3962	14.35	14	5.42	8	4.15	12	10	20	12	66	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
220	11012300007849	3963	13.98	14	0.00	0	4.50	16	10	20	0	50	PASS
221	11012300007917	3964	14.82	10	7.01	14	4.25	14	10	20	2	60	PASS
222	11012300008075	3965	15.22	10	6.17	12	3.80	9	10	20	6	57	PASS
223	11012300008824	3966	15.03	10	5.64	10	3.58	9	10	20	10	59	PASS
224	11012300007847	3967	13.46	16	7.51	16	4.35	14	10	20	14	80	PASS
225	11012300007971	3968	14.28	14	5.86	10	4.26	14	10	20	14	72	PASS
226	11012300008004	3969	15.18	10	5.25	8	3.65	9	10	20	2	49	FAIL
227	11012300008131	3970	15.69	6	6.45	12	3.55	9	9	16	0	43	FAIL
228	11012300008123	3971	16.91	2	5.58	10	3.40	6	10	20	0	38	FAIL
229	11012300008122	3972	15.72	6	6.65	12	3.83	9	0	0	0	27	FAIL
230	11012300008316	3973	15.93	6	5.80	10	3.58	9	10	20	0	45	FAIL
231	11012300008446	3974	14.81	10	5.51	10	3.45	6	10	20	6	52	PASS
232	11012300008330	3975	14.13	14	8.54	20	4.26	14	10	20	14	82	PASS
233	11012300008332	3976	13.84	14	8.52	20	4.30	14	10	20	12	80	PASS
234	11012300008242	3977	13.19	16	7.46	16	4.58	16	10	20	12	80	PASS
235	11012300008448	3978	13.65	14	8.38	18	4.08	12	10	20	6	70	PASS
236	11012300008109	3979	14.81	10	7.42	16	3.90	9	10	20	10	65	PASS
237	11012300008370	3980	13.81	14	7.31	16	3.70	9	10	20	12	71	PASS
238	11012300008488	3981	13.21	16	8.13	18	4.62	16	10	20	10	80	PASS
239	11012300008199	3982	14.75	10	6.70	14	3.85	9	10	20	2	55	PASS
240	11012300008553	3983	16.83	2	5.30	8	3.20	6	8	12	0	28	FAIL
241	11012300007957	3984	12.97	16	8.63	20	4.15	12	10	20	16	84	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
242	11012300008623	3985	14.10	14	6.40	12	4.50	16	9	16	6	64	PASS
243	11012300008622	3986	13.78	14	9.21	20	3.88	9	10	20	12	75	PASS
244	11012300008751	3987	15.25	10	7.45	16	4.30	14	10	20	12	72	PASS
245	11012300008760	3988	14.85	10	8.14	18	4.14	12	10	20	0	60	PASS
246	11012300008744	3989	15.56	6	5.70	10	2.87	3	10	20	10	49	FAIL
247	11012300008065	3990	15.21	10	6.55	12	4.46	14	10	20	10	66	PASS
248	11012300008538	3991	16.81	2	5.42	8	3.24	6	5	2	0	18	FAIL
249	11012300008659	3992	15.34	10	6.19	12	3.33	6	10	20	0	48	FAIL
250	11012300008806	3993	14.13	14	6.01	10	3.96	9	10	20	10	63	PASS
251	11012300007962	3994	13.78	14	7.21	14	4.00	12	10	20	12	72	PASS
252	11012300008764	3995	14.25	14	7.41	16	3.95	9	10	20	6	65	PASS
253	11012300008374	3996	14.12	14	7.57	16	4.52	16	10	20	6	72	PASS
254	11012300008519	3997	13.06	16	7.59	16	5.30	20	10	20	18	90	PASS
255	11012300008780	3998	14.49	14	6.84	14	4.20	12	10	20	10	70	PASS
256	11012300008632	3999	14.81	10	6.33	12	4.36	14	10	20	10	66	PASS
257	11012300007969	4000	15.40	10	6.72	14	3.94	9	10	20	2	55	PASS
258	11012300008569	4001	12.17	18	8.10	18	4.76	18	10	20	16	90	PASS
259	11012300008574	4002	13.09	16	6.62	12	4.81	18	10	20	14	80	PASS
260	11012300008568	4003	12.16	18	8.16	18	4.91	18	10	20	14	88	PASS
261	11012300008577	4004	13.39	16	8.37	18	4.00	12	10	20	14	80	PASS
262	11012300008572	4005	13.37	16	7.85	16	4.90	18	10	20	16	86	PASS
263	11012300008576	4006	12.93	16	8.12	18	4.51	16	10	20	16	86	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
264	11012300008575	4007	12.84	16	8.30	18	5.06	20	10	20	16	90	PASS
265	11012300008570	4008	13.34	16	7.60	16	4.62	16	10	20	16	84	PASS
266	11012300008399	4009	15.71	6	0.00	0	3.17	6	0	0	0	12	FAIL
267	11012300008103	4010	13.50	16	8.14	18	4.10	12	9	16	0	62	PASS
268	11012300007985	4011	14.38	14	5.20	8	3.65	9	10	20	16	67	PASS
269	11012300008024	4012	15.00	10	5.26	8	3.80	9	10	20	0	47	FAIL
270	11012300008503	4013	13.94	14	7.13	14	4.50	16	4	0	0	44	FAIL
271	11012300008492	4014	13.45	16	8.68	20	5.01	20	10	20	10	86	PASS
272	11012300008498	4015	13.50	16	8.63	20	4.81	18	10	20	14	88	PASS
273	11012300008491	4016	13.90	14	6.50	12	4.50	16	10	20	10	72	PASS
274	11012300008472	4017	14.49	14	6.19	12	4.30	14	10	20	6	66	PASS
275	11012300007961	4018	13.69	14	6.08	10	3.76	9	10	20	0	53	PASS
276	11012300008426	4019	13.93	14	0.00	0	3.90	9	8	12	0	35	FAIL
277	11012300008433	4020	15.00	10	0.00	0	3.71	9	10	20	0	39	FAIL
278	11012300008198	4021	14.97	10	6.12	12	3.75	9	10	20	12	63	PASS
279	11012300008351	4022	15.87	6	6.90	14	4.15	12	6	4	0	36	FAIL
280	11012300008261	4023	16.47	6	5.71	10	2.70	3	0	0	0	19	FAIL
281	11012300008281	4024	14.50	14	6.90	14	3.91	9	10	20	6	63	PASS
282	11012300008283	4025	15.31	10	7.62	16	3.71	9	9	16	10	61	PASS
283	11012300008285	4026	12.44	18	8.20	18	4.72	16	8	12	0	64	PASS
284	11012300008288	4027	15.53	6	7.46	16	3.69	9	8	12	10	53	PASS
285	11012300008280	4028	13.12	16	7.19	14	4.35	14	10	20	16	80	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
286	11012300008282	4029	13.47	16	7.61	16	4.41	14	10	20	16	82	PASS
287	11012300008278	4030	16.21	6	5.06	8	2.50	3	3	0	0	17	FAIL
288	11012300007992	4031	14.01	14	7.85	16	4.05	12	6	4	14	60	PASS
289	11012300008614	4032	0.00	0	0.00	0	3.75	9	0	0	0	9	FAIL
290	11012300008128	4033	0.00	0	0.00	0	3.80	9	0	0	0	9	FAIL
291	11012300007944	4034	20.57	0	5.15	8	3.05	6	4	0	0	14	FAIL
292	11012300008084	4035	13.78	14	8.52	20	4.50	16	10	20	12	82	PASS
293	11012300008204	4036	12.47	18	8.93	20	5.30	20	10	20	18	96	PASS
294	11012300008205	4037	13.72	14	7.50	16	4.65	16	10	20	16	82	PASS
295	11012300008207	4038	13.48	16	6.37	12	4.45	14	10	20	2	64	PASS
296	11012300007930	4039	16.12	6	6.70	14	3.71	9	10	20	6	55	PASS
297	11012300008407	4040	15.22	10	7.71	16	3.90	9	10	20	6	61	PASS
298	11012300008254	4041	13.93	14	6.60	12	3.55	9	10	20	12	67	PASS
299	11012300008668	4042	14.97	10	6.07	10	0.00	0	10	20	0	40	FAIL
300	11012300008662	4043	15.50	10	6.55	12	2.45	0	10	20	0	42	FAIL
301	11012300008762	4044	15.36	10	5.25	8	3.81	9	9	16	0	43	FAIL
302	11012300008588	4045	14.43	14	7.45	16	4.26	14	10	20	12	76	PASS
303	11012300008587	4046	13.47	16	9.63	20	4.75	18	10	20	6	80	PASS
304	11012300008584	4047	14.13	14	8.02	18	3.51	9	7	8	0	49	FAIL
305	11012300008255	4048	12.46	18	9.01	20	4.08	12	9	16	0	66	PASS
306	11012300008727	4049	14.72	10	6.71	14	3.22	6	6	4	0	34	FAIL
307	11012300008829	4050	14.03	14	7.09	14	4.26	14	10	20	0	62	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
308	11012300008451	4051	16.56	2	6.72	14	3.97	9	9	16	0	41	FAIL
309	11012300008453	4052	0.00	0	6.95	14	4.26	14	10	20	0	48	FAIL
310	11012300008607	4053	13.48	16	7.80	16	4.50	16	10	20	12	80	PASS
311	11012300007848	4054	13.18	16	8.01	18	4.85	18	10	20	14	86	PASS
312	11012300008685	4055	14.47	14	6.90	14	4.06	12	10	20	0	60	PASS
313	11012300008769	4056	17.16	2	6.15	12	2.92	3	4	0	0	17	FAIL
314	11012300007933	4057	15.47	10	4.82	6	3.04	6	9	16	0	38	FAIL
315	11012300007795	4058	16.28	6	6.42	12	3.65	9	4	0	0	27	FAIL
316	11012300008034	4059	13.48	16	8.72	20	5.02	20	10	20	6	82	PASS
317	11012300008787	4060	13.31	16	8.19	18	4.89	18	10	20	12	84	PASS
318	11012300008059	4061	15.69	6	5.97	10	3.91	9	10	20	0	45	FAIL
319	11012300008398	4062	14.63	10	6.48	12	3.92	9	8	12	0	43	FAIL
320	11012300008070	4063	14.26	14	5.76	10	3.82	9	10	20	6	59	PASS
321	11012300008272	4064	15.38	10	8.01	18	3.81	9	10	20	0	57	PASS
322	11012300008271	4065	15.97	6	7.35	16	3.75	9	7	8	0	39	FAIL
323	11012300008380	4066	13.87	14	9.21	20	4.37	14	10	20	0	68	PASS
324	11012300008772	4067	14.56	10	5.83	10	3.42	6	10	20	2	48	FAIL
325	11012300007882	4068	14.48	14	8.38	18	0.00	0	8	12	0	44	FAIL
326	11012300007799	4069	13.60	14	7.38	16	3.81	9	8	12	0	51	PASS
327	11012300007896	4070	12.37	18	6.90	14	5.02	20	10	20	10	82	PASS
328	11012300007898	4071	13.71	14	8.37	18	4.50	16	10	20	12	80	PASS
329	11012300008589	4072	16.40	6	6.27	12	2.91	3	5	2	0	23	FAIL

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
330	11012300008709	4073	13.62	14	5.75	10	4.45	14	10	20	6	64	PASS
331	11012300008354	4074	13.31	16	7.38	16	3.97	9	10	20	12	73	PASS
332	11012300008602	4075	13.72	14	7.04	14	3.41	6	9	16	0	50	PASS
333	11012300008424	4076	14.22	14	5.90	10	3.25	6	3	0	0	30	FAIL
334	11012300008350	4077	13.03	16	7.18	14	5.25	20	10	20	18	88	PASS
335	11012300008591	4078	14.66	10	6.26	12	3.51	9	10	20	6	57	PASS
336	11012300008583	4079	13.22	16	6.56	12	4.62	16	8	12	10	66	PASS
337	11012300008779	4080	15.31	10	6.05	10	3.57	9	2	0	0	29	FAIL
338	11012300007816	4081	16.87	2	5.55	10	3.70	9	10	20	0	41	FAIL
339	11012300007924	4082	14.06	14	5.97	10	4.69	16	10	20	10	70	PASS
340	11012300008322	4083	16.34	6	6.45	12	2.86	3	4	0	0	21	FAIL
341	11012300008535	4084	15.38	10	8.02	18	3.21	6	6	4	0	38	FAIL
342	11012300008417	4085	14.78	10	5.15	8	4.01	12	6	4	0	34	FAIL
343	11012300007862	4086	14.75	10	6.90	14	3.55	9	10	20	2	55	PASS
344	11012300008324	4087	16.22	6	6.52	12	3.69	9	10	20	0	47	FAIL
345	11012300008295	4088	14.62	10	8.37	18	4.25	14	10	20	0	62	PASS
346	11012300007832	4089	14.87	10	6.76	14	4.25	14	10	20	2	60	PASS
347	11012300008423	4090	13.16	16	7.40	16	4.57	16	10	20	14	82	PASS
348	11012300008135	4091	12.48	18	9.35	20	5.10	20	10	20	10	88	PASS
349	11012300007913	4092	13.03	16	7.80	16	5.23	20	10	20	14	86	PASS
350	11012300008148	4093	13.50	16	6.75	14	4.59	16	10	20	16	82	PASS
351	11012300008156	4094	13.00	16	7.95	18	4.90	18	10	20	16	88	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
352	11012300008138	4095	13.47	16	7.82	16	4.86	18	10	20	16	86	PASS
353	11012300008159	4096	12.88	16	5.78	10	4.34	14	10	20	14	74	PASS
354	11012300008139	4097	14.81	10	5.54	10	4.10	12	10	20	12	64	PASS
355	11012300008150	4098	14.65	10	6.80	14	4.25	14	10	20	16	74	PASS
356	11012300008165	4099	13.50	16	7.30	16	4.56	16	10	20	14	82	PASS
357	11012300008326	4100	14.44	14	6.40	12	4.05	12	7	8	0	46	FAIL
358	11012300008160	4101	14.62	10	6.65	12	4.35	14	9	16	12	64	PASS
359	11012300007989	4102	14.19	14	7.33	16	4.64	16	10	20	6	72	PASS
360	11012300008821	4103	13.27	16	7.70	16	4.93	18	10	20	16	86	PASS
361	11012300008805	4104	14.12	14	5.94	10	4.18	12	10	20	0	56	PASS
362	11012300008643	4105	16.50	6	5.35	8	2.62	3	10	20	0	37	FAIL
363	11012300008251	4106	14.18	14	8.30	18	4.41	14	10	20	0	66	PASS
364	11012300008250	4107	14.97	10	7.66	16	4.39	14	10	20	6	66	PASS
365	11012300008816	4108	13.50	16	8.06	18	4.87	18	10	20	14	86	PASS
366	11012300008831	4109	14.85	10	6.55	12	4.09	12	10	20	0	54	PASS
367	11012300008473	4110	14.44	14	8.23	18	4.28	14	10	20	2	68	PASS
368	11012300007838	4111	13.32	16	6.92	14	3.92	9	10	20	0	59	PASS
369	11012300007889	4112	16.34	6	6.23	12	3.45	6	3	0	0	24	FAIL
370	11012300007967	4113	13.48	16	7.65	16	4.57	16	10	20	0	68	PASS
371	11012300008827	4114	14.30	14	5.12	8	3.50	9	9	16	0	47	FAIL
372	11012300007954	4115	15.22	10	7.23	14	3.72	9	9	16	0	49	FAIL
373	11012300008481	4116	14.28	14	7.31	16	4.25	14	10	20	0	64	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
374	11012300008722	4117	0.00	0	6.82	14	4.30	14	10	20	0	48	FAIL
375	11012300007953	4118	14.49	14	8.18	18	4.31	14	10	20	0	66	PASS
376	11012300007987	4119	19.12	0	4.71	6	2.00	0	4	0	0	6	FAIL
377	11012300008758	4120	15.35	10	8.15	18	3.80	9	10	20	0	57	PASS
378	11012300008365	4121	18.35	0	5.11	8	3.00	6	6	4	0	18	FAIL
379	11012300008608	4122	14.75	10	6.01	10	3.20	6	9	16	10	52	PASS
380	11012300007857	4123	13.45	16	7.92	18	4.50	16	10	20	16	86	PASS
381	11012300007784	4124	15.06	10	6.90	14	3.75	9	10	20	12	65	PASS
382	11012300007785	4125	14.31	14	7.50	16	4.50	16	10	20	10	76	PASS
383	11012300007866	4126	14.84	10	6.80	14	4.04	12	10	20	12	68	PASS
384	11012300008672	4127	14.04	14	5.40	8	3.75	9	8	12	12	55	PASS
385	11012300008686	4128	13.48	16	5.45	8	4.07	12	5	2	0	38	FAIL
386	11012300008031	4129	14.16	14	7.05	14	4.00	12	10	20	10	70	PASS
387	11012300008030	4130	13.94	14	6.35	12	4.15	12	10	20	12	70	PASS
388	11012300008032	4131	12.29	18	9.00	20	4.94	18	10	20	14	90	PASS
389	11012300008266	4132	16.19	6	5.55	10	3.90	9	9	16	0	41	FAIL
390	11012300007911	4133	14.09	14	7.91	18	3.14	6	10	20	12	70	PASS
391	11012300008088	4134	13.40	16	7.10	14	4.38	14	9	16	0	60	PASS
392	11012300007909	4135	13.41	16	7.62	16	3.89	9	10	20	0	61	PASS
393	11012300007912	4136	12.29	18	7.92	18	5.49	20	10	20	12	88	PASS
394	11012300008486	4137	13.94	14	7.72	16	4.66	16	10	20	10	76	PASS
395	11012300008736	4138	13.75	14	8.05	18	4.86	18	10	20	6	76	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
396	11012300008739	4139	14.22	14	7.20	14	3.09	6	10	20	10	64	PASS
397	11012300008691	4140	14.47	14	6.67	12	4.14	12	10	20	10	68	PASS
398	11012300008694	4141	14.66	10	5.94	10	4.11	12	6	4	0	36	FAIL
399	11012300008693	4142	16.71	2	6.50	12	2.95	3	7	8	0	25	FAIL
400	11012300008596	4143	14.41	14	7.05	14	4.02	12	9	16	10	66	PASS
401	11012300008597	4144	13.13	16	8.78	20	4.85	18	10	20	14	88	PASS
402	11012300008598	4145	13.50	16	7.20	14	3.61	9	10	20	16	75	PASS
403	11012300008226	4146	14.71	10	6.41	12	4.35	14	8	12	0	48	FAIL
404	11012300008742	4147	14.09	14	8.70	20	4.40	14	10	20	12	80	PASS
405	11012300007908	4148	13.66	14	8.28	18	4.76	18	10	20	10	80	PASS
406	11012300008808	4149	14.44	14	6.25	12	4.45	14	10	20	12	72	PASS
407	11012300008800	4150	13.72	14	8.03	18	4.47	14	10	20	12	78	PASS
408	11012300008667	4151	16.68	2	5.12	8	2.80	3	8	12	0	25	FAIL
409	11012300008590	4152	15.16	10	5.42	8	3.80	9	10	20	0	47	FAIL
410	11012300008233	4153	14.03	14	6.15	12	3.66	9	10	20	0	55	PASS
411	11012300008196	4154	13.10	16	7.96	18	4.70	16	10	20	12	82	PASS
412	11012300008192	4155	13.48	16	7.35	16	4.15	12	10	20	0	64	PASS
413	11012300008194	4156	13.75	14	7.91	18	4.40	14	10	20	10	76	PASS
414	11012300008191	4157	12.37	18	8.55	20	5.47	20	10	20	14	92	PASS
415	11012300008193	4158	13.15	16	8.70	20	4.95	18	10	20	10	84	PASS
416	11012300007921	4159	14.78	10	5.70	10	3.45	6	6	4	0	30	FAIL
417	11012300008456	4160	16.16	6	7.32	16	3.62	9	0	0	0	31	FAIL

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
418	11012300008604	4161	13.77	14	8.15	18	4.82	18	10	20	14	84	PASS
419	11012300008807	4162	16.19	6	5.42	8	3.47	6	8	12	0	32	FAIL
420	11012300007824	4163	13.84	14	8.30	18	4.55	16	10	20	12	80	PASS
421	11012300007823	4164	13.95	14	8.64	20	4.50	16	8	12	0	62	PASS
422	11012300007822	4165	12.50	18	8.72	20	5.35	20	10	20	14	92	PASS
423	11012300007964	4166	13.09	16	8.52	20	5.18	20	10	20	14	90	PASS
424	11012300007815	4167	16.78	2	6.12	12	3.09	6	2	0	0	20	FAIL
425	11012300007936	4168	13.13	16	7.92	18	5.03	20	10	20	12	86	PASS
426	11012300008775	4169	14.72	10	5.80	10	3.85	9	6	4	0	33	FAIL
427	11012300008689	4170	14.60	10	5.55	10	4.01	12	10	20	0	52	PASS
428	11012300008090	4171	16.26	6	6.59	12	3.50	9	0	0	0	27	FAIL
429	11012300008428	4172	14.22	14	6.70	14	4.29	14	10	20	0	62	PASS
430	11012300008656	4173	15.28	10	5.58	10	3.46	6	10	20	0	46	FAIL
431	11012300008490	4174	14.29	14	7.65	16	4.60	16	10	20	10	76	PASS
432	11012300007920	4175	14.22	14	7.35	16	4.01	12	9	16	6	64	PASS
433	11012300008820	4176	14.60	10	7.08	14	4.15	12	10	20	0	56	PASS
434	11012300008818	4177	14.12	14	7.02	14	3.90	9	9	16	0	53	PASS
435	11012300008212	4178	14.48	14	5.63	10	4.15	12	10	20	0	56	PASS
436	11012300008108	4179	13.19	16	6.33	12	4.26	14	10	20	10	72	PASS
437	11012300008106	4180	12.43	18	7.80	16	4.36	14	10	20	10	78	PASS
438	11012300008513	4181	14.77	10	5.25	8	4.01	12	10	20	14	64	PASS
439	11012300008520	4182	12.22	18	8.26	18	5.36	20	10	20	16	92	PASS

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
440	11012300008515	4183	13.40	16	8.31	18	5.02	20	10	20	14	88	PASS
441	11012300008652	4184	13.45	16	7.14	14	4.00	12	9	16	0	58	PASS
442	11012300008516	4185	13.85	14	7.53	16	4.34	14	8	12	0	56	PASS
443	11012300008517	4186	13.37	16	6.38	12	4.17	12	9	16	12	68	PASS
444	11012300008675	4187	15.37	10	4.30	6	3.91	9	6	4	0	29	FAIL
445	11012300008364	4188	15.31	10	6.01	10	3.42	6	7	8	0	34	FAIL
446	11012300008676	4189	15.35	10	5.70	10	4.06	12	10	20	10	62	PASS
447	11012300007789	4190	14.91	10	6.11	12	3.95	9	10	20	6	57	PASS
448	11012300008525	4191	15.18	10	7.04	14	4.30	14	10	20	14	72	PASS
449	11012300008189	4192	13.13	16	6.94	14	4.59	16	10	20	10	76	PASS
450	11012300008617	4193	13.53	14	7.37	16	4.51	16	10	20	6	72	PASS
451	11012300008005	4194	14.93	10	7.77	16	4.40	14	6	4	0	44	FAIL
452	11012300007806	4195	15.16	10	6.80	14	3.62	9	6	4	0	37	FAIL
453	11012300008117	4196	14.35	14	8.32	18	3.66	9	10	20	0	61	PASS
454	11012300008474	4197	13.49	16	8.30	18	4.52	16	8	12	0	62	PASS
455	11012300008651	4198	13.69	14	7.92	18	4.15	12	10	20	0	64	PASS
456	11012300008637	4199	13.09	16	6.70	14	4.31	14	10	20	0	64	PASS
457	11012300008823	4200	14.94	10	6.67	12	3.69	9	8	12	6	49	FAIL
458	11012300008624	4201	17.06	2	5.64	10	3.44	6	0	0	0	18	FAIL
459	11012300008700	4202	13.15	16	6.75	14	4.60	16	10	20	14	80	PASS
460	11012300008704	4203	14.25	14	6.85	14	4.46	14	10	20	10	72	PASS
461	11012300008798	4204	14.93	10	6.30	12	3.97	9	5	2	0	33	FAIL

Sangli Police Bharti 2016

Physical Test Marks

Sr. No.	Application No	Chest No	100 Meters		Shotput		Long Jump		Pullups		1600/800 Meters Marks	Total Marks	Result
			Time	Marks	Distance	Marks	Distance	Mark	Count	Marks			
462	11012300008681	4205	14.66	10	6.60	12	4.01	12	10	20	10	64	PASS
463	11012300008552	4206	15.41	10	6.35	12	3.91	9	10	20	0	51	PASS
464	11012300008500	4207	17.50	2	4.80	6	2.45	0	8	12	0	20	FAIL
465	11012300008418	4208	14.72	10	6.90	14	3.60	9	10	20	0	53	PASS
466	11012300008455	4209	14.04	14	7.62	16	4.25	14	10	20	10	74	PASS
467	11012300008501	4210	14.79	10	6.70	14	4.52	16	10	20	0	60	PASS
468	11012300008532	4211	14.64	10	7.20	14	3.95	9	10	20	10	63	PASS
469	11012300008422	4212	14.91	10	7.96	18	3.78	9	5	2	0	39	FAIL
470	11012300008440	4213	14.34	14	5.95	10	4.32	14	10	20	0	58	PASS
471	11012300008523	4214	14.32	14	6.23	12	4.00	12	10	20	12	70	PASS
472	11012300008511	4215	14.81	10	6.38	12	4.27	14	10	20	0	56	PASS
473	11012300008615	4216	16.13	6	6.75	14	3.33	6	7	8	0	34	FAIL
474	11012300008606	4217	14.75	10	7.54	16	4.01	12	10	20	0	58	PASS
475	11012300008439	4218	14.16	14	8.30	18	4.56	16	10	20	10	78	PASS
476	11012300008437	4219	14.29	14	9.23	20	4.36	14	10	20	10	78	PASS
477	11012300008441	4220	13.45	16	7.18	14	4.55	16	10	20	12	78	PASS
478	11012300008499	4221	12.78	16	8.70	20	4.87	18	10	20	14	88	PASS
479	11012300008497	4222	14.47	14	6.26	12	4.09	12	10	20	6	64	PASS
480	11012300008559	4223	15.15	10	6.71	14	3.77	9	10	20	2	55	PASS
481	11012300008562	4224	13.35	16	7.80	16	4.01	12	10	20	0	64	PASS
482	11012300008298	4225	14.03	14	7.98	18	4.34	14	10	20	2	68	PASS